



# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF ENVIRONMENTAL QUALITY PIEDMONT REGIONAL OFFICE

Douglas W. Domenech  
Secretary of Natural Resources

4949-A Cox Road, Glen Allen, Virginia 23060  
(804) 527-5020 Fax (804) 527-5106  
[www.deq.virginia.gov](http://www.deq.virginia.gov)

David K. Paylor  
Director

Michael P. Murphy  
Regional Director

November 28, 2012

Kinder Morgan Transmix Co., LLC  
500 Dallas Street  
Houston, TX 77002

### CERTIFIED MAIL RETURN RECEIPT REQUESTED

RE: Virginia Pollutant Discharge Elimination System (VPDES) Permit Reissuance  
Permit No. VA0086151, Kinder Morgan Transmix Co., LLC (Deepwater Terminal)

Dear Permittee:

Your VPDES permit is enclosed. This permit supersedes the previous VPDES Permit VA0086151 issued to this facility. As indicated in the fact sheet, the permit has changed; please read the permit carefully because you are responsible for meeting all permit conditions. A hard copy Discharge Monitoring Report (DMR) is not enclosed; however, an electronic DMR is available through e-DMR. The first DMR required by this permit for the monthly monitored parameters is due on January 10, 2013 for the December 2012 monitoring period. If you still have DMR data to report as required by the previous permit, please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same number of significant digits as are included in the permit limit for the parameter.

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Alternatively, any owner under §§ 62.1 - 44.16, 62.1 - 44.17, and 62.1 - 44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9VAC25-230-130 (Procedural Rule No. 1 – Petition for formal hearing). In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please call Jeremy Kazio at (804) 527-5044.

Sincerely,

Curtis J. Linderman, P.E.  
Water Permit Manager  
Piedmont Regional Office

Enclosures: Permit  
Fact Sheet

cc: EPA-3WP12